

INDEX MAPS.

T. 25N, R. 1 E. 2nd Mer.

	282		282		282		283		283		284
286	6	290	5	293	4	297	3	302	2		1 281
	289		293		297		302		302		305
286	7	289	8	293	9	296	10	301	11		12 281
	289		294		296		301		301		305
285	18	288	17	292	16	296	15	300	14		13 280
	288		292		295		300		300		304
285	19	288	20	291	21	295	22	299	23		24 280
	287		291		295		299		299		304
285	30	287	29	291	28	294	27	298	26		25 279
	287		291		294		298		298		303
284	31	286	32	290	33	293	34	297	35		36 279
	277		277		277		278		278		278

T. 26N, R. 1 E. 2nd Mer.

	314		314		314		315		315		
317	6	320	5	324	4	328	3	333	2		1
	320		324		327		332		333		336 ³¹³
316	7	320	8	323	9	327	10	332	11		12 ³¹³
	320		323		327		331		332		335
316	18	319	17	323	16	326	15	331	14		13 ³¹²
	319		322		326		330		331		335
316	19	318	20	322	21	326	22	330	23		24 ³¹²
	318		322		325		329		330		334
316	30	318	29	321	28	325	27	329	26		25 ³¹¹
	318		321		325		328		329		334
315	31	317	32	321	33	324	34	328	35		36 ³¹¹
	309		309		309		310		310		310

The figures on the lines refer to the page.

Township N. 25 North, Range N. 1 East 2. Mer. Ind.

Township Lines.

Ch. L. M. South Boundary. Var. $5^{\circ}45'E$.

East on the S. Boundary of Sec. 31

17.58 a Branch 30 Mts. wide curve NW

32.50 a W. Oak 30 in. dia.

40.00 set of sec. post from which

an Ash 12 in. dia. bears $N60^{\circ}E$ 34 Mts. dist. &an Elm 16 " " " $S58^{\circ}E$ 30 " "

73.00 a Beech 24 " "

80.00 set post cor. of sec. 31 & 32 from which

a Beech 15 in. dia. bears $N81^{\circ}W$ 13 Mts. dist. &a Buckeye 6 " " " $S58^{\circ}E$ 20 " "

This mile wet and swampy. Timber Oak, Ash &

East on the S. Boundary of Sec. 32

11.57 a Stream 60 Mts. wide curve NW

12.07 a Do 60 " " " SW

40.00 set of sec. post from which

a Beech 20 in. dia. bears $S29^{\circ}W$ 42 Mts. dist. &a Sugar 24 " " " $N68^{\circ}E$ 19 " "

54.39 a W. Oak 24 " "

80.00 set post cor. of sec. 32 & 33 from which

a Beech 24 in. dia. bears $N28^{\circ}W$ 22 Mts. dist. &a Do 30 " " " $S14^{\circ}E$ 30 " "

This mile timber Beech, Oak, Sugar & Spice

East on the S. Boundary of Sec. 33

18.13 a Sugar 30 in. dia.

40.00 set of sec. post from which

a Beech 15 in. dia. bears $N31^{\circ}W$ 24 Mts. dist. &a Do 14 " " " $S37^{\circ}E$ 32 " "

60.21 a Beech 20 " "

80.00 set post cor. of sec. 33 & 34 from which

a Sugar 14 in. dia. bears $N83^{\circ}E$ 28 Mts. dist. &a Beech 18 " " " $N85^{\circ}W$ 48 " "

This mile level. Timber Beech, Oak, Sugar. Spice &

T. 25 N., R. 1 E. 2^d. Mer. Ind^a

Chs. Cr.

Cart on the S. Boundary of Sec. 34

28.72 an Ash 30 in. dia.

40.00 set g. sec. post from which

a Beech 10 in. dia. bears N 25° W 20 lbs. dist. 8

a Do 18 " " " S 22° E 25 " "

68.22 a Beech 24 " "

80.00 set post cor. of sec. 34 & 35 from which

a Maple 30 in. dia. bears N 53° E 32 lbs. dist. 8

a Do 24 " " " N 40° W 32 " "

This mile level, timber Beech, Sugar, Oak.
Wys. Spice

Cart on the S. Boundary of Sec. 35

20.00 an Ash 20 in. dia.

40.00 set g. sec. post from which

a Beech 12 in. dia. bears N 24° E 25 lbs. dist. 8

an Ash 30 " " " S 57° W 31 " "

59.70 a Do 34 " "

72.84 Intersect W. Boundary of Miami Reservation
set post from which

a Beech 12 in. dia. bears S 24° W 20 lbs. dist. 8

a Sugar 10 " " " N 28° W 24 " "

This land Beech, Oak, Sugar, Ash &
Wys. Spice May 28. 1820

Henry Bryan, Dep. Surv.

Cart on Raudum from post in Indian Boundary
cor. of sec. 35 & 36 from which

a Beech 20 in. dia. bears S 27° E 45 lbs. dist. 8

a Cherry 2 " " " N 59° E 15 " "

3.67 algray Ash 30 in. dia.

25.06 a Sugar 12 in. dia.

38.20 a W. Elm 22 " "

52.76 a Do 34 " "

76.00 Intersect line between Ranges 1 & 2 E. 56 lbs.
N. of temp. post - where set post cor. of T. 24 & 25

T. 28 N., R. 1 E. 2^d Mer. Ind.

Chs. Co.

N, R. 1 & 2 E. from which
 a Hickory 10 in. dia. bears S 4 E 33 lbs. dist. 2
 a Beech 13 " " " N 27 W 35 " "
 Land level 2^d rate. Timber Beech, Ash, Elm,
 Lym, Sugar & Vly. Spice, Alder &

West Connected S. Boundary of Sec. 36

23.24 a W. Elm 34 in. dia.

37.80 a Dr 22 " "

40.00 set of sec. post from which

a Beech 8 in. dia. bears N 19 E 20 lbs. dist. 2

a Dr 10 " " " N 66 W 21 " "

50.94 a Sugar 12 " "

72.33 a Gray Ash 36 in. dia.

76.00 to Sec. cor. August 22, 1838

East Boundary. Var. H. 10. E.

North on the E. Boundary of Sec. 36

8.11 a Beech 8 in. dia.

14.26 a Dr 19 " "

26.53 a Dr 17 " "

29.97 a Poplar 34 " "

39.92 a Beech 16 " "

40.00 set of sec. post from which

a Beech 7 in. dia. bears S 46 W 38 lbs. dist. 2

a Dr 8 " " " N 67 W 37 " "

56.50 a dry Branch 20 lbs. wide course W

58.90 a Sugar 30 in. dia.

80.00 set post cor. of sec. 25 & 36 from which

a Beech 9 in. dia. bears S 47 W 37 lbs. dist. 2

a Dr 18 " " " N 36 W 10 " "

Level 2^d rate land, timber Beech, Sugar,
 Poplar & Vly. Spice, Pawpaw &

North on the E. Boundary of Sec. 25

6.16 a Sugar 15 in. dia.

T. 25 N., R. 1 E., T. 2. Mer. Ind.

Chrs. Chrs.

- 19.66 a Beech 9 in. dia.
 28.00 enter Creek 24 lbs. wide course W. Very little water.
 31.58 a Pin Oak 28 in. dia.
 40.00 set g. sec. post from which
 a Beech 18 in. dia. bears S 12 W 59 lbs. dist. 23
 a Do 18 " " " N 84 W 12 " "
 59.52 a Beech 16 " "
 75.59 a Do 14 " "
 80.00 set post cor. of sec. 24 & 25 from which
 a Beech 20 in. dia. bears S 7 1/2 W 22 lbs. dist. 23
 a Do 28 " " " N 87 W 24 " "
 Flat 2^d rate land, timber Beech, Elm, Hickory,
 Sugar & Spice, Sugar & Spice. October 11, 1838

North on the E. Boundary of Sec. 24

- 5.64 a Beech 17 in. dia.
 28.81 a Do 10 " "
 33.90 a Do 15 " "
 40.00 set g. sec. post from which
 a Beech 7 in. dia. bears S 11 W 26 lbs. dist. 23
 a Do 8 " " " N 65 W 39 " "
 43.50 a Beech 11 " "
 53.67 a Do 24 " "
 68.20 enter N. & main fork of Deer Creek 80 lbs.
 wide course W.
 74.40 a Sycamore 96 in. dia.
 80.00 set post cor. of sec. 13 & 24 from which
 a Beech 22 in. dia. bears S 56 W 27 lbs. dist. 23
 a Do 14 " " " N 44 W 14 " "
 First half mile same as last. Last half
 mile level 7th rate land. Timber Beech,
 Sugar, Elm & Spice, Pawpaw &

North on the E. Boundary of Sec. 13

- 1.61 a Beech 34 in. dia.

T. 25 N., R. 1 E. 2. Mer. Ind.

Ch. L.

0.50 Indian trail, SW
 28.70 a Beech 19 in. dia.
 40.00 set of sec. part from which
 a Beech 10 in. dia. leans N41°W 9 lbs. dirt. 8
 a Do 8 " " " S50°W 50 " "
 54.58 a Pin Oak 22 in. dia.
 76.16 a Beech 13 " "
 80.00 set part cor. of sec. 12 & 13 from which
 a Beech 10 in. dia. leans S45°W 19 lbs. dirt. 8
 a Do 22 " " " N32°W 38 " "
 Level T. rate land. Timber Beech, Sugar
 Elm, Walnut Buckeye & Spice, Pawpaw &
 October 12, 1838

North on the E. Boundary of Sec. 12

13.96 a Beech 13 in. dia.
 25.72 a Do 13 " "
 40.00 set of sec. part from which
 a Beech 10 in. dia. leans S25°W 25 lbs. dirt. 8
 a Do 8 " " " N84°W 35 " "
 45.02 a Lym 22 " "
 61.08 a Beech 21 " "
 76.16 a R. Oak 30 " "
 80.00 set part cor. of sec. 1 & 12 from which
 a Beech 12 in. dia. leans S35°W 25 lbs. dirt. 8
 a Do 16 " " " N17°W 68 " "
 Level T. rate land. Timber Beech, Elm,
 Ash, Sugar, Hickory, Lym & Upr. Spice,
 Pawpaw &

North on the E. Boundary of Sec. 1

8.52 a Lym 12 in. dia.
 24.70 a Beech 11 " "
 28.61 a Sugar 34 " "
 40.00 set of sec. part from which
 a Beech 6 in. dia. leans S10°W 62 lbs. dirt. 8

T. 25 N., R. 1 E. 2^d Mer. Ind.^a

Chs. Cr.

a Hornbeam 5 in. dia. bears N 29 W 40 Yds. dist.

73.03 a Pin Oak 40 " "

74.00 enter Willow pond, SW. No water

79.00 leave same

80.00 set temp. Township corner post.

Land same as on last mile.

October 13. 1838. Ar. S. C. Vance

Deputy Surveyor.

North Boundary, Var. 5.45 E,
East on the S. Boundary of Sec. 31, T 26 N, R 1 E

28.00 a W. Oak 15 in. dia.

40.00 set q. sec. post from which

an Ash 20 in. dia. bears N 81 E 12 Yds. dist.

a Do 18 " " " S 81 W 7 " "

57.53 an Ash 18 " "

80.00 set post cor. of Secs. 31 & 32 from which

an Ash 16 in. dia. bears N 45 E 11 Yds. dist.

a B. Oak 36 " " " S 49 E 17 " "

This mile level. Timber Beech, Oak, Ash
Y. Upr. Spice

East on the S. Boundary of Sec. 32, T 26 N, R 1 E

26.34 a S. Ash 20 in. dia.

35.00 an Elm 36 " "

40.00 set q. sec. post from which

a Beech 10 in. dia. bears N 59 W 17 Yds. dist.

a Do 18 " " " S 6 E 39 " "

47.34 a Hickory 18 " "

64.57 a B. Oak 36 " "

80.00 set post cor. of Secs. 32 & 33 from which

a W. Oak 8 in. dia. bears N 32 E 8 Yds. dist.

an Ironw. 8 " " " S 26 W 38 " "

This mile level wet Beech land

East on the S. Boundary of Sec. 33, T 26 N, R 1 E

T. 25 N., R. 1 E. 2. Mer. Ind.

Chs. 1st

12.70 a Beech 24 in. dia.

40.00 set gr. sec. post from which

a Beech 20 in. dia. bears N 12 9/11 W 19 Ws. dist. 3

an Ash 11 " " " S 25 W 28 " "

48.54 a Beech 26 " "

80.00 set post cor. of sec. 33 & 34 from which

an Ash 15 in. dia. bears N 30 E 7 Ws. dist. 3

a B. Oak 26 " " " S 53 E 11 " "

Level wet, swampy, brushy land.

East on the S. Boundary of Sec. 34, T. 26 N., R. 1 E.

10.40 a Beech 24 in. dia.

40.00 set gr. sec. post from which

a Beech 10 in. dia. bears N 15 E 15 Ws. dist. 3

a Do 8 " " " S 41 E 8 " "

80.00 set post cor. of sec. 34 & 35 from which

a Hickory 26 in. dia. bears N 19 W 26 Ws. dist. 3

a W. Oak 24 " " " S 28 E 36 " "

This mile level wet land. Timber Beech,
Oak, Ash, Brushy.

East on the S. Boundary of Sec. 35, T. 26 N., R. 1 E.

14.34 a Hickory 24 in. dia.

40.00 set gr. sec. post from which

an Elm 8 in. dia. bears N 51 E 12 Ws. dist. 3

an Ash 12 " " " S 52 E 17 " "

59.13 an Ash 12 " "

75.72 Intersect W. Boundary of Miami Reservation

set post from which

a B. Oak 30 in. dia. bears S 34 W 51 Ws. dist. 3

a Beech 24 " " " N 36 W 45 " "

Level, wet, brushy land. Timber Beech,
Oak &c. June 10. 1821Henry Bryan
Deputy Surveyor.

T. 25 N., R. 1 E. L. Mer. Ind.^aCh², Sp²East from corner in W. Boundary of Reservation
between Sec. 35 & 36. Var. 5° 45' E.

4.91 a R. Oak 40 in. dia.

17.05 a Lym 10 " "

23.38 a W. Elm 40 " "

45.50 a Pin Oak 22 " "

65.16 a Bur Oak 60 " "

79.50 Intersect line between Ranges 1 & 2 E. 458 Ws.

N. of temp. post - where set post cor. of T.

25 & 26 N., R. 1 & 2 E. from which

a Beech 18 in. dia. bears S 52 E 31 Ws. dist. 2

a Do 8 " " " N 30 W 5 " "

Level 2nd to land. Timber Beech, Elm, Ark,

Sugar, Hickory, Lym & Spice, Pawpaw &

October 13, 1838

West Return on S. Bound^y of Sec. 36, T. 26 N., R. 1 E

14.34 a Bur Oak 60 in. dia.

34.00 a Pin Oak 22 " "

40.00 set of sec. post from which

a Beech 20 in. dia. bears S 65 E 36 Ws. dist. 2

a Do 24 " " " N 65 W 23 " "

62.45 a Lym 10 " "

74.59 a R. Oak 40 " "

79.50 to cor. in W. Boundary of Reserve.

Ar. J. C. Vance

Deputy Surveyor.

Second Principal Meridian
or West Boundary. Var. 5° 45' E.

North on the E. Boundary of Sec. 36, T. 25 N., R. 1 W.

5.00 paved Swamp

40.00 set of sec. post from which

a Hickory 20 in. dia. bears N 60 W 16 Ws. dist. 2

a W. Ark 8 " " " S 51 E 16 " "

75.00 a Spring branch 6 Ws. wide course NE

T. 25 N., R. 1 E. 2. Mer. Ind.

Chas. L. H.

80.00 set part cor. of sec. 25 & 30 from which
 a Beech 11 in. diam. bears S 13° W 25 lbs. dist. &
 a Do 12 " " " N 55° W 29 " "
 Land level rich and good for farming.
 Beech, Sugar, Walnut, Ash &c.

North on the E. Boundary of Sec. 25, T. 25 N., R. 1 W

25.00 a Spring branch 5 lbs. wide course NE

40.00 set of sec. part from which

a W. Ash 14 in. diam. bears N 74° E 25 lbs. dist. &

a Do 12 " " " S 14° W 37 " "

51.00 a Creek 50 lbs. wide course NW

55.00 same Creek " NE

65.00 Do " NW

75.00 Do " NE

80.00 set part cor. of sec. 24 & 25 from which

a Beech 9 in. diam. bears N 68° E 29 lbs. dist. &

a Do 24 " " " S 63° W 31 " "

Land & rate rich and good for farming.

Creek good for mills.

North on the E. Boundary of Sec. 24, T. 25 N., R. 1 W

7.00 a Creek 100 lbs. wide course W

40.00 set of sec. part from which

a Beech 10 in. diam. bears N 20° W 15 lbs. dist. &

a Sugar 24 " " " S 62° E 22 " "

80.00 set part cor. of sec. 13 & 24 from which

a Beech 12 in. diam. bears N 56° E 17 lbs. dist. &

a Do 10 " " " S 56° W 12 " "

Land same, good for farming.

North on the E. Boundary of Sec. 13, T. 25 N. R. 1 W

40.00 set of sec. part from which

a Sugar 30 in. diam. bears S 83° W 10 lbs. dist. &

a Do 24 " " " S 70° E 16 " "

60.00 a Brook 15 lbs. wide course W.

T. 25 N., R. 1 E. 2^d Mer. Ind.

Chs. Spr.

80.00 set part cor. of sec. 12 & 13 from which
 a Beech 12 in. diam bears S 8 E 22 Ws. dist. 2
 a Hickory 13 " " " N 36 E 27 " "
 Land rich and good for farming, timber same
 November 21, 1819

North on the E. Boundary of Sec. 12, T. 25 N., R. 1 W

40.00 set q. sec. part from which
 an Elm 24 in. diam bears South 2 Ws. dist. 2
 a Do 9 " " " N 24 E 11 " "

80.00 set part cor. of sec. 10 & 12 from which
 a Beech 6 in. diam bears S 51 W 5 Ws. dist. 2
 a S. Oak 24 " " " S 40 E 4 " "
 Land level & rate, Beech, Sugar, Gum, Ash
 & good for farming.

North on the E. Boundary of Sec. 1, T. 25 N., R. 1 W

40.00 set q. sec. part from which
 a ——— 8 in. diam bears S 18 E 15 Ws. dist. 2
 a W. Ash 9 " " " N 57 E 19 " "

80.00 set part cor. of T. 25 & 26 N., R. 1 E & 1 W. from
 which a Beech 18 in. diam bears S 10 W 20 Ws. dist.
 & a Do 12 " " " N 29 W 19 " "
 Land similar, part wet

William Harris

Deputy Surveyor.

Subdivision. Var. 5.45. E.

North between Sec. 31 & 32

2.80 a W. Oak 48 in. diam.

35.00 a Do 36 " "

36.90 a Stream 60 Ws. wide course N 35 W

40.00 an Elm 18 in. diam. q. sec. corner tree

51.75 a Beech 15 " "

80.00 set part cor. of sec. 29, 30, 31 & 32 from which
 a Sugar 16 in. diam bears S 60 E 27 Ws. dist. 2

T. 25 N., R. 1 E. 2. Mer. Ind.

Ch. 1. 100

a Hickory 18 in. dia. bears S 41 W 27 lbs. dist.
 First half mile brushy, 2. half first rate.
 Timber Poplar, Beech, Oak & Upr. Spruce

West on Random between Sec. 30 & 31

31.50 a Stream 50 lbs. wide course NE

40.00 set temp. of sec. part

80.00 Intersect W. Boundary at part -

This mile brushy, Beech, Oak &

East Corrected between Sec. 30 & 31

40.00 set of sec. part at aver. dist. from which

a Beech 24 in. dia. bears S 22 W 12 lbs. dist. S

a Do 18 " " " N 30 E 37 " "

80.00 to sec. cor.

North between Sec. 29 & 30

4.59 a Hickory 24 in. dia.

28.95 a W. Oak 24 " "

40.00 set of sec. part from which

a Beech 18 in. dia. bears N 29 W 4 lbs. dist. S

a Do 12 " " " N 35 E 24 " "

55.39 a W. Oak 48 " "

74.84 a Do 30 " "

80.00 set part cor. of Sec. 19, 20, 29 & 30 from which

a Beech 12 in. dia. bears N 63 W 26 lbs. dist. S

a Buckeye 10 " " " S 35 E 25 " "

First half mile swampy, last half level.

Timber Beech, Oak, Ash & Upr. Spruce,

Pawpaw &

West on Random between Sec. 19 & 30

10.36 a Stream 60 lbs. wide course SW

29.50 a Do 60 " " " " NW

72.28 a Do 50 " " " " N

80.25 Intersect W. Boundary at part -

T. 25 N., R. 1 E. 2^d Mer. Ind.Ch. 1st 1st

This mile brushy & broken

East Corrected between Sec. 19 & 30

40.12 $\frac{1}{2}$ set q. sec. post at ares. dint. from which
 a Walnut 18 in. diameter N 16 E 3 $\frac{1}{2}$ M. dint. 2 $\frac{1}{2}$
 a Do 8 " " S 48 W 9 " "
 80.25 to sec. cor. June 11, 1821

North between Sec. 19 & 20

6.00 a Beech 16 in. dia.
 16.89 a Poplar 54 " "
 22.05 a Stream 100 M. wide course SW
 40.00 set q. sec. post from which
 an Ash 30 in. diameter S 72 E 13 M. dint. 2 $\frac{1}{2}$
 a Do 24 " " N 37 W 24 " "
 47.00 an Elm 48 " "
 57.90 a Beech 20 " "
 80.00 set post cor. of sec. 17, 18, 19 & 20 from which
 a Poplar 10 in. diameter N 21 W 3 M. dint. 2 $\frac{1}{2}$
 an Ash 20 " " S 29 E 11 " "
 First half mile broken, last half level.
 Timber Beech, Oak, Walnut, Upr. Spice &c.

West on Random between Sec. 18 & 19

40.00 set temp. q. sec. post
 80.00 Intersect W. Boundary 14 M. N. of post -
 Land level, Timber Beech, Oak, Hickory.
 Upr. Spice &c.

East Corrected between Sec. 18 & 19

40.00 set q. sec. post at ares. dint. from which
 a Sugar 14 in. diameter S 17 E 44 M. dint. 2 $\frac{1}{2}$
 a Maple 18 " " N 17 W 45 " "
 80.00 to sec. cor.

North between Sec. 17 & 18

Compd

T. 25 N., R. 1 E. 2^d Mer. Ind.Ch^r. Sp^r

10.58 a B. Oak 30 in. dia.

40.00 set of sec. port from which

a Beech 15 in. dia. bears S 59 W 19 Mer. dist. 8

a Do 12 " " " S 72 E 24 " "

48.12 a Sugar 20 " "

61.62 a Poplar 27 " "

65.13 a Branch 13 ~~14~~ wide course SW

80.00 set port cor. of sec. 7, 8, 17 & 18 from which

a Hickory 12 in. dia. bears N 66 W 25 Mer. dist. 8

a W. Oak 9 " " " S 47 E 23 " "

Level brushy land. Timber Beech, Oak, Spice &c.

West on Random between Sec. 7 & 18

40.00 set temp. of sec. port

80.12 Intersect W. Boundary at port -

This mile level. Timber Beech, Oak, Upr. Spice

East Connected between Sec. 7 & 18

40.00 set of sec. port at aver. dist. from which

a Beech 18 in. dia. bears S 58 E 18 Mer. dist. 8

a Do 12 " " " N 5 E 36 " "

80.12 to sec. cor. June 12, 1821

North between Sec. 7 & 8

3.20 an Elm 20 in. dia.

28.29 a W. Oak 30 " "

40.00 set of sec. port from which

a Poplar 30 in. dia. bears S 34 W 39 Mer. dist. 8

an Ark 14 " " " N 25 E 22 " "

51.36 an Elm 24 " "

80.00 set port cor. of sec. 5, 6, 7 & 8 from which

a Beech 12 in. dia. bears S 28 E 14 Mer. dist. 8

a Do 18 " " " N 41 W 19 " "

Level land, wet. Timber Beech & swampy, brushy

West on Random between Sec. 6 & 7

T. 25 N., R. 1 E. T. Mer. Ind.?

Ch. Lk.

40.00 set temp. g. sec. post

80.09 Intersect W. Boundary 20 Ws. S. of post—

This mile brushy, timber Beech, Oak & Spice

East Connected between Sec. 6 & 7

40.04 set g. sec. post at aver. dist. from which

a Beech 15 in. dia. bears S 36 E 11 Ws. dist. 8

a Do 10 " " " N 50 W 4 " "

80.09 to sec. cor.

North between Sec. 5 & 6

15.58 an Elm 16 in. dia.

25.16 a Do 20 " "

40.00 set g. sec. post from which

a Beech 24 in. dia. bears S 20 E 6 Ws. dist. 8

a Sugar 20 " " " N 76 W 21 " "

44.85 an Elm 24 " "

69.50 a Hickory 24 " "

80.33 Intersect N. Boundary at post—

This mile level. Timber Beech, Sugar, Oak & Wgs. Spice & June 13. 1821

North between Sec. 32 & 33

4.89 an Ash 20 in. dia.

35.00 enter a Swamp

40.00 set g. sec. post from which

an Ash 15 in. dia. bears N 29 W 5.34 Ch. dist. 4

a Do 12 " " " N 3 E 5.24 " "

50.35 a Maple 30 " "

68.00 leave the Swamp

75.50 a Gum 30 in. dia.

80.00 set post cor. of sec. 28, 29, 32 & 33 from which

a Beech 20 in. dia. bears N 22 W 23 Ws. dist. 8

a Do 15 " " " S 56 E 26 " "

This mile swampy. Timber Beech, Oak

T. 25 N., R. 1 E. 2^d Mer. Ind.^aChs. 2nd.

West on Random between Sec. 29 & 32

40.00 set temp. of sec. post

80.11 Intersect N & S line 22 Ws. N. of post —

This mile level. Beech, Oak, Ash & Wgs. Spice

East Connected between Sec. 29 & 32

40.05 $\frac{1}{2}$ set of sec. post at aver. dist. from which

a W. Oak 30 in. dia. bears N 55 E 37 Ws. dist. 3

an Ash 6 " " " S 12 E 40 " "

80.11 to sec. cor.

North between Sec. 28 & 29

25.01 a Sugar 24 in. dia.

37.44 a Hickory 24 " "

40.00 set of sec. post from which

a Beech 12 in. dia. bears S 77 E 40 Ws. dist. 3

a Do 24 " " " N 45 W 53 " "

44.84 a Hickory 15 " "

72.59 an Elm 20 " "

80.00 set post cor. of sec. 20, 21, 28 & 29 from which

a Hickory 12 in. dia. bears S 22 W 16 Ws. dist. 3

an Elm 20 " " " N 14 W 12 " "

This mile level & wet Beech land

West on Random between Sec. 20 & 29

40.00 set temp. of sec. post

79.91 Intersect N & S line 17 Ws. N. of post —

This mile brushy. Timber Beech, Hickory, Oak &c.

East Connected between Sec. 20 & 29

39.95 $\frac{1}{2}$ set of sec. post at aver. dist. from which

an Ash 12 in. dia. bears N 37 E 14 Ws. dist. 3

a Do 10 " " " S 11 W 20 " "

79.91 to sec. cor. June 14, 1821

North between Sec. 20 & 21

T. 25 N., R. 1 E. 2. Mer. Ind.⁴

Chs. Sp.

26.20 a Beech 18 in. dia.

40.00 set gr. sec. post from which

a Beech 12 in. dia. bears N 24 E 10 Ws. dist. 28

a W. Oak 20 " " " N 66 W 9 " "

48.00 a Sugar 18 " "

80.00 set post cor. of sec. 10, 17, 20 & 21 from which

a Beech 15 in. dia. bears S 9 E 9 Ws. dist. 28

a Spr 18 " " " N 41 W 17 " "

This mile level. Timber Beech, Ash, Oak &
Ulp. Spice.

West on Randon between Sec. 17 & 20

40.00 set temp. gr. sec. post

60.00 enter Prairie

78.26 leave "

79.96 Intersect N & S. line 20 Ws. N. of post -

Level land, timber Beech, Ash, Ulp. Spice

East Corrected between Sec. 17 & 20

39.98 set gr. sec. post at aver. dist. from which

a Beech 10 in. dia. bears S 63 E 10 Ws. dist. 28

a Spr 30 " " " N 40 W 20 " "

79.96 to sec. cor.

North between Sec. 10 & 17

21.15 an Elm 24 in. dia.

39.43 a W. Oak 36 " "

40.00 set gr. sec. post from which

a B. Oak 8 in. dia. bears N 42 W 18 Ws. dist. 28

an Ash 18 " " " S 73 E 29 " "

48.15 a Poplar 16 " "

80.00 set post cor. of sec. 8, 9, 10 & 17 from which

a B. Oak 36 in. dia. bears S 48 E 37 Ws. dist. 28

a Beech 20 " " " N 25 W 33 " "

This mile level. Timber Beech, Ash, Oak &
Ulp. Spice

T. 25 N., R. 1 E. 2. Mer. Ind.

E. W. L. K.

North between Sec. 8 & 9

15.31 a Sugar 26 in. dia.

40.00 set of sec. post from which

a Beech 20 in. dia. bears N 55° W 17 lbs. dist. 2

an Elm 24 " " " S 60° E 14 " "

55.30 a Do 20 " "

80.00 set post cor. of sec. 4, 5, 8 & 9 from which

a Sugar 18 in. dia. bears S 31° E 16 lbs. dist. 2

an Ash 26 " " " S 44° W 21 " "

This mile level. Timber Beech, Oak.

Ulp. Spice &c.

West on Random between Sec. 5 & 8

40.00 set setup, of sec. post

80.00 Intersect N. & S. line at post—

Level land. Timber Beech, Ash &c. Ulp. Spice

East Corrected between Sec. 5 & 8

40.00 set of sec. post at aver. dist. from which

a Hickory 12 in. dia. bears N 9° W 25 lbs. dist. 2

an Ash 10 " " " S 29° W 13 " "

80.00 to sec. cor.

June 15, 1821

North between Sec. 4 & 5

25.10 an Elm 20 in. dia.

40.00 set of sec. post from which

a Hickory 24 in. dia. bears N 16° W 6 lbs. dist. 2

a Swamp Ash 8 " " " S 50° E 21 " "

42.82 a B. Oak 26 " "

80.30 Intersect N. Boundary at post—

Land level, timber Beech, Oak, Ash &c. Ulp. Spice

North between Sec. 33 & 34

13.29 a W. Oak 24 in. dia.

31.71 a Sugar 30 " "

40.00 set of sec. post from which

T. 25 N., R. 1 E. 2. Mer. Ind. a

Chs. Sk?

a Beech 24 in. dia. bears N 12° W 31 Vrs. dist. &
 a Do 20 " " " S 14° W 35 " "

80.00 set part cor. of sec. 27, 28, 33 & 34 from which
 a Beech 24 in. dia. bears S 57° E 22 Vrs. dist. &
 a Do 20 " " " N 27° W 22 " "

This mile good land, timber Beech, Oak, Wal-
 nut, Upr. Spice, Pawpaw

West on Random between Sec. 8 & 17

40.00 set temp. gr. sec. post

79.90 Intersect N & S. line 12 Vrs. N. of post -

This mile level, timber Beech, Oak, Ash & Spice

East Corrected between Sec. 8 & 17

39.95 set gr. sec. post at aver. dist. from which

a Walnut 30 in. dia. bears N 58° E 28 Vrs. dist. &

a Beech 16 " " " S 9° W 30 " "

79.90 to sec. cor.

West on Random between Sec. 28 & 33

40.00 set temp. gr. sec. post

80.14 Intersect N & S. line 20 Vrs. N. of post -

This mile swampy

East Corrected between Sec. 28 & 33

40.07 set gr. sec. post at aver. dist. from which

a Beech 15 in. dia. bears S 57° W 54 Vrs. dist. &

a Lym 15 " " " N 9° W 34 " "

80.14 to sec. cor. June 16. 1821

North between Sec. 27 & 28

12.11 an Elm 20 in. dia.

20.43 an W. Oak 48 " "

40.00 set gr. sec. post from which

a Beech 20 in. dia. bears N 60° E 19 Vrs. dist. &

a Do 15 " " " S 70° W 19 " "

T. 25 N., R. 1 E. 2^d Mer. Ind.Chs. 1st.

48.12 a Hickory 30 in. dia.

60.67 a Poplar 30 " "

80.00 set post cor. of sec. 21, 22, 27 & 28 from which

a Beech 12 in. dia. bears S 12 E 24 lks. dist. &

a Do 14 " " N 61 E 7 " "

This mile level wet land, timber Beech, Oak
Uls. Spice.

West on Random between Sect. 21 & 28

40.00 set temp. of sec. post

80.10 Intersect N & S line 25 lks. N. of post -

Over level wet land, timber Beech, Oak, Ash
Uls. Spice

East Connected between Sect. 21 & 28

40.05 set of sec. post at aver. dist. from which

an W. Oak 14 in. dia. bears S 15 W 45 lks. dist. &

an Ash 18 " " " N 50 E 20 " "

80.10 to sec. cor.

North between Sect. 21 & 22

12.75 a Beech 24 in. dia.

40.00 set of sec. post from which

a Sugar 18 in. dia. bears N 43 W 25 lks. dist. &

a Sycamore 13 " " " S 67 E 50 " "

47.70 an Beech 36 " "

78.15 a Stream 85 lks. wide centre SW

80.00 set post cor. of sec. 15, 16, 21 & 22 from which

a Beech 10 in. dia. bears S 34 W 18 lks. dist. &

a Do 20 " " " N 44 E 33 " "

This mile broken, timber Beech, Oak &
Uls. Spice

West on Random between Sect. 16 & 21

40.00 set temp. of sec. post

80.00 Intersect N & S line 30 lks. N. of post -

T. 25 N., R. 1 E. 2. Mer. Ind.

Elev. 300.

Land level & wet, timber Beech, Oak, Ash &
Upr. Spruce

East Corrected between Sec. 10 & 21

40.00 set g. sec. post at aver. dist. from which
an Elm 24 in. diam bears S 60° W 19 lbs. dist. 8
a Do 10 " " " N 73° E 11 " "
80.00 to sec. cor.

North between Sec. 15 & 16

28.00 a Maple 20 in. dia.

37.30 an Ash 30 " "

40.00 set g. sec. post from which
a Hickory 15 in. diam bears N 59° W 12 lbs. dist. 8
a Do 12 " " " S 82° E 16 " "

55.79 an Ash 30 " "

75.05 a Lym 24 " "

80.00 set post cor. of sec. 9, 10, 15 & 16 from which
a Lym 20 in. diam bears N 10° W 29 lbs. dist. 8
a Do 12 " " " N 63° E 16 " "

This mile swampy, timber Beech, Maple,
Ash. Rushy June 17, 1821

West on Random between Sec. 9 & 16

40.00 set temp. g. sec. post

50.00 leave Swamp

80.15 Intersect N. S. line 22 lbs. N. of post -

Level & swampy, timber Beech, Oak & Spruce

East Corrected between Sec. 9 & 16

40.0 7/8 set g. sec. post at aver. dist. from which
an Ash 18 in. diam bears S 28° W 31 lbs. dist. 8
a Beech 10 " " " N 69° E 38 " "
80.15 to sec. cor.

North between Sec. 9 & 10

T. 25 N., R. 1 E. 2. Mer. Ind.

Chr. Chr.

12.00 a W. Oak 24 in. dia.

40.00 set g. sec. post from which

a Buckeye 10 in. dia bears S 52 E 13 W. dist. 8

a Do 10 " " " N 71 W 29 " "

69.85 an Elm 24 " "

80.00 set post cor. of sec. 3, 4, 9 & 10 from which

an Elm 24 in. dia bears N 69 E 16 W. dist. 8

a Do 30 " " " S 64 W 16 " "

Wet swampy land.

West on Random between Sec. 4 & 9

40.00 set temp. g. sec. post

80.24 Intersect N. S. line 30 W. N. of post -

This mile level wet land, timber Beech,
Maple, Oak & Ulm. Spice

East Corrected between Sec. 4 & 9

40.12 set g. sec. post at aver. dist. from which

an Ash 20 in. dia bears S 7 E 43 W. dist. 8

a Beech 18 " " " N 24 E 50 " "

80.24 to sec. cor.

North between Sec. 3 & 4

8.35 an Elm 30 in. dia.

40.00 set g. sec. post from which

a Hickory 16 in. dia bears S 78 W 4 W. dist. 8

a Beech 10 " " " N 74 E 8 " "

54.70 a Beech 30 " "

80.37 Intersect N. Boundary 30 W. E. of post -

set post at intersection cor. of sec. 3 & 4 from which

an Ash 14 in. dia bears N 28 W 10 W. dist. 8

a W. Oak 26 " " " S 35 W 43 " "

This mile wet land. Timber Beech, Oak,
Maple, Ash &c. June 18, 1821

North between Sec. 34 & 35

T. 25 N., R. 1 E. 2^d Mer. Ind.

Chs. 20?

10.68 a Maple 30 in. dia.

40.00 set g. sec. post from which
a Ash 27 in. dia. bears N 57° W 17 lbs. dist. 28
a Beech 15 " " " N 89° E 19 " "

60.84 a Beech 30 " "

80.00 set post cor. of sec. 26, 27, 34 & 35 from which
a Beech 20 in. dia. bears N 28° W 24 lbs. dist. 28
a Do 18 " " " S 35° E 25 " "
Level land, timber Beech, Oak, Upr. Spice

West on Random between Sec. 27 & 34

40.00 set temp. g. sec. post

79.92 Intersect N & S. line at post -
This mile brushy

East corrected between Sec. 27 & 34

39.96 set g. sec. post at aver. dist. from which
a Beech 16 in. dia. bears S 79° W 14 lbs. dist. 28
a B. Oak 30 " " " N 33° W 20 " "

79.96 to sec. cor.

East between Sec. 26 & 35

40.00 set g. sec. post from which
a Sugar 24 in. dia. bears N 44° W 12 lbs. dist. 28
a Beech 10 " " " S 60° E 29 " "

50.95 an Elm 36 " "

72.70 Intersect W. Boundary of Miami Reservation
set post from whicha Sugar 18 in. dia. bears S 38° W 21 lbs. dist. 28
a Sycamore 24 " " " N 26° W 50 " "

Land broken, timber Beech, Ash, Sugar, Spice

North between Sec. 26 & 27

8.06 a Sugar 24 in. dia.

40.00 set g. sec. post from which

a Beech 16 in. dia. bears N 89° W 15 lbs. dist. 28

T. 25 N., R. 1 E. 2^d Mer. Ind.

Chs. Lks.

a Beech 26 in. dia. bears N 76 E 14 Ws. dist.
 46.75 a Sugar 20 " "
 48.00 a Stream 40 Ws. wide course SW
 59.40 a Beech 27 in. dia.
 80.00 set post cor. of sec. 22, 23, 26 & 27 from which
 a Beech 16 in. dia. bears S 14 E 20 Ws. dist. &
 a Do 18 " " " N 76 W 40 " "
 This mile level 2^d rate. Beech, Sugar, Maple
 & Uls. Spice &

West on Random between Sec. 22 & 27

40.00 set temp. of sec. post
 47.59 a Branch or Stream 50 Ws. wide course NW
 79.89 Intersect N. S. line 20 Ws. S. of post—
 This mile level. Timber Beech, Oak &
 Uls. Spice &

East Connected between Sec. 22 & 27

39.94 1/2 set of sec. post at aver. dist. from which
 a Beech 14 in. dia. bears S 56 E 20 Ws. dist. &
 an Ironw. 8 " " " N 16 W 4 " "
 79.89 to sec. cor. June 19. 1821

East on Random between Sec. 23 & 26

40.00 a Poplar 48 in. dia. of cor. tree from which
 a Beech 18 in. dia. bears N 32 W 40 Ws. dist. &
 a Do 10 " " " S 20 E 26 " "
 46.87 an Elm 30 " "
 72.69 Intersect W. Boundary of Miami Reservation
 set post from which
 a Hickory 14 in. dia. bears N 37 W 33 Ws. dist. &
 a B. Oak 15 " " " S 33 W 42 " "
 (Description of land omitted)

North between Sec. 22 & 23

40.00 set of sec. post from which

T. 25 N., R. 1 E. T. Mer. Ind.

Ch. Sk.

a Beech 20 in. dia. bears N 11 W 13 lbs. dist. 8
 a Do 10 " " " S 34 W 24 " "
 45.50 a B. Oak 36 " "
 80.00 set post cor. of Secs. 14, 15, 22 & 23 from which
 a W. Oak 18 in. dia. bears N 20 W 8 lbs. dist. 8
 a Do 20 " " " S 23 E 32 " "
 This mile swampy. Timber Beech, Maple
 & Uls. Spice

West on Random between Secs. 15 & 22

40.00 set temp. q. sec. post
 52.50 a stream 110 lbs. wide course SW
 80.00 Intersect N. L. line at post -
 This mile swampy.

East Correlated between Secs. 15 & 22

40.00 set q. sec. post at aver. dist. from which
 a Beech 30 in. dia. bears S 10 E 49 lbs. dist. 8
 a Do 30 " " " N 41 E 42 " "
 80.00 to sec. cor.

East between Secs. 14 & 23

23.57 a Sugar 16 in. dia.
 40.00 set q. sec. post from which
 a Beech 12 in. dia. bears N 75 E 7 lbs. dist. 8
 a Do 24 " " " S 10 E 26 " "
 64.78 a W. Oak 36 " "
 72.74 Intersect N. Boundary of Miami Reservation
 set post from which
 a Beech 18 in. dia. bears N 29 W 45 lbs. dist. 8
 a Hickory 20 " " " S 24 W 41 " "
 Land level 2 rate, Beech, Oak & Spice &

North between Secs. 14 & 15

20.35 a Stream 100 lbs. wide course SW
 20.64 a Sugar 20 in. dia.

T. 25 N., R. 1 E. 2^d Mer. Ind.

Chp. Sk.

40.00 set of sec. post from which

a Beech 15 in. diameter N 77° W 30 lbs. dist. 8

a Do 12 " " " S 34° E 36 " "

49.50 a Beech 20 " "

80.00 set post cor. of Sec. 10, 11, 14 & 15 from which

a Beech 14 in. diameter S 81° W 5 lbs. dist. 8

a Do 10 " " " S 60° E 41 " "

First half mile broken, last half level, 2^d
rate, Beech, Sugar, Ash & Upr. Spruce

West on Random between Sec. 10 & 15

40.00 set temp. of sec. post

80.00 Intersect N & S line 20 lbs. N. of post -

This mile swampy. Timber Beech, Oak &
Upr. Spruce

East Corrected between Sec. 10 & 15

40.00 set of sec. post at aver. dist. from which

a Maple 16 in. diameter N 22° W 10 lbs. dist. 8

an Ash 10 " " " S 80° W 15 " "

80.00 to sec. cor. June 20, 1821

East between Sec. 11 & 14

9.70 a Swamp Ash 30 in. dia.

40.00 set of sec. post from which

a Maple 24 in. diameter S 63° E 20 lbs. dist. 8

an W. Oak 36 " " " N 17° E 21 " "

52.50 an W. Oak 26 " "

73.50 Intersect W. Boundary of Miami Reservation,
set post from which

a Beech 14 in. diameter N 40° W 33 lbs. dist. 8

a Do 16 " " " S 54° W 42 " "

Land level & swampy. Timber Beech, W. Oak,
Maple, Upr. Spruce

North between Sec. 10 & 11

T. 25 N., R. 1 E. 2. Mer. Ind.

Chs. Sk.

14.29 an Elm 24 in. dia.

40.00 set of sec. post from which

a Beech 14 in. dia. bears S 79 E 23 Ws. dist. 8

a Do 15 " " " N 47 W 39 " "

45.43 a S. Ash 20 " "

80.00 set post cor. of sec. 2, 3, 10 & 11 from which

a Beech 20 in. dia. bears S 44 W 33 Ws. dist. 8

a Do 12 " " " N 23 E 28 " "

This mile level L. rate, Beech, Ash, Elm, Oak,
Upr. Spice &c.

West on Random between Sec. 3 & 10

40.00 set temp. of sec. post

80.20 Intersect N. & S. line 19 Ws. N. of post

This mile swampy. Maple, Elm &c. Upr. Spice

East Corrected between Sec. 3 & 10

40.10 set of sec. post at aver. dist. from which

a Maple 15 in. dia. bears N 09 E 13 Ws. dist. 8

an Elm 15 " " " S 30 W 42 " "

80.20 to sec. cor.

East between Sec. 2 & 11

9.94 a Hickory 24 in. dia.

40.00 set of sec. post from which

a Hickory 12 in. dia. bears N 62 W 19 Ws. dist. 8

a Do 20 " " " S 50 E 29 " "

51.79 a Beech 30 " "

74.84 Intersect W. Boundary of Miami Reservation and
set post from which

an Elm 20 in. dia. bears N 29 W 47 Ws. dist. 8

a Beech 12 " " " S 65 W 50 " "

First half mile swampy, last half level L. rate
Beech, Hickory, Oak, Ash &c. Upr. Spice

North between Sec. 2 & 3

T. 25 N., R. 1 E. 2^d Mer. Ind.

Chs. 10.

- 19.10 a Beech 18 in. dia.
 40.00 set of sec. post from which
 an Elm 20 in. dia bears N 23 W 30 Yds. dist. &
 a Hickory 15 " " " S 47 E 24 " "
 62.60 a B. Oak 30 " "
 80.00 Intersect N. Boundary 85 Yds. E. of post —
 set post at intersection cor. of Sec. 2 & 3 from which
 an Elm 24 in. dia bears S 39 W 6 Yds. dist. &
 a Do 24 " " " N 22 E 36 " "
 Wet land, timber Maple, Oak, Elm, Ash &c.
 June 21. 1821 Merry Bryan, D. S.

Commenced subdividing fractional Townships
 N. 25 North in Range N. 1 East of the 2^d Princip-
 al Meridian in the State of Indiana on the 17th
 day of October 1838, and completed said sub-
 division on the 13th day of same month. Var. 4. 10. E.

West in Random between Sec. 25 & 36

- 24.70 a dry Run 30 Yds. wide course NW
 25.00 leave same
 44.00 a dry Branch 40 Yds. wide course SW
 44.45 leave same
 47.50 enter same 45 Yds. wide course NW
 51.50 leave same 47 " " " SW
 66.00 over same 40 " " " NW
 71.00 enter same 40 " " " SW
 74.00 enter same 40 " " " NW
 74.65 leave same
 75.53 Intersect old Indian Boundary 16 Yds. N. of post —
 Level State land. Timber Beech, Sugar, Ash,
 Buckeye &c. Myr. Spice, Pawpaw &c.

East Connected between Sec. 25 & 36

- 2.83 a Sycamore 30 in. dia.
 20.98 a B. Ash 34 " "
 35.53 set of sec. post from which

T. 25 N., R. 1 E. 2^d Mer. Ind.

Chs. Lks.

a Beech 18 in. diam. bears N 10 W 43 Ws. dist. 8
 a Do 14 " " " S 20 E 24 " "
 38.74 a Beech 16 " "
 41.91 a Sugar 20 " "
 75.53 to sec. cor. October 11. 1838

West on Random between Sec. 24 & 25
 19.00 enter Sugar camp
 25.00 leave same
 76.38 Intersect old Indian Boundary 85 Ws. S. of pt. —
 Land same as on last mile

S 89.20 E. Connected between Sec. 24 & 25

3.97 a Sugar 17 in. dia.
 21.34 a gray Ash 40 " "
 36.38 set off sec. pt. from which
 a Beech 20 in. diam. bears N 61 E 32 Ws. dist. 8
 a Do 10 " " " S 41 W 11 " "
 44.30 a 3 pronged Hackberry 4 in. dia.
 60.67 a W. Elm 22 in. dia.
 76.38 to sec. cor.

West on Random between Sec. 13 & 24

6.00 an Indian trail, SW
 12.00 a dry Run 10 Ws. wide course S.
 25.00 same Indian trail, NW. Creek 50 Ws. wide
 to left
 30.00 enter N. fork of Deer Creek 60 Ws. wide, NW
 32.50 leave same
 41.00 enter Spring branch 15 Ws. wide course NW
 41.50 leave same
 52.50 a Cabin on line
 52.90 a Spring North 20 Ws.
 77.76 Intersect old Indian Boundary 25 Ws. N. of pt. —
 Rich level State land, timber Beech, Elm, Ash,
 Sugar, Walnut, Oak &c. Ugly. P. Ash, Pawpaw &c.

T. 25 N., R. 1 E. 2^d Mer. Ind.Chs. 2^d.N. 89. 49th E. Connected between Sec. 13 & 24

B. J. a B. Ash 22 in. dia. bears S 57 E 70 lbs. dist.

1. 95 a Bur Oak 14 in. dia.

18. 40 a B. Ash 26 " "

37. 70 set of sec. post from which

a W. Walnut 7 in. dia. bears N 20 E 23 lbs. dist. 8

a Jack Oak 8 " " " S 9 W 26 " "

39. 31 a Haw 7 " "

42. 85 a Hornbeam 3 " "

77. 76 to sec. cor. October 12. 1838

West on Random between Sec. 12 & 13

61. 00 enter Sugar Camp

64. 00 leave same

70. 50 Indian trail, NW

78. 03 Intersect old Indian Boundary 142 S. of post -
Land same as on last mile.N. 88. 58th E. Connected between Sec. 12 & 13

Bearings for corner on old Ind. Boundary

a Beech 8 in. dia. bears N 33 E 14 lbs. dist. 8

a Irons 4 " " " S 34 E 27 " "

6. 86 a Beech 15 " "

7. 34 a Do 12 " "

19. 56 a W. Elm 36 " "

20. 74 a Beech 14 " "

38. 03 set of sec. post from which

a Beech 17 in. dia. bears N 77 E 14 lbs. dist. 8

a Sugar 6 " " " S 10 W 25 " "

49. 21 a Beech 14 " "

65. 61 a Lym 20 " "

78. 03 to sec. cor.

West on Random between Sec. 11 & 12

78. 56 Intersect old Indian Boundary 95 W. S. of post -
Flat 2^d rate land, timber Elm, Beech, Lym,
Sycamore, Oak & W. Spr. Spice, Gumwood &c.

T. 25 N., R. 1 E. 2^d Mer. Ind.

Corrected between Secs. 1 & 12

5.47 a Bur Oak 10 in. dia.

18.22 a B. Ash 30 " "

38.56 cut of sec. post from which

a Hornbeam 4 in. dia. bears N 60° W 4 1/2 m. dist. to

a Do 5 " " " S 83° E 21 " "

43.50 a Lym 10 " "

62.30 a Beech 13 " "

78.56 to sec. cor. October 13, 1838

General description.

This Township is wholly destitute of water, except in two forks of Deer Creek noted.

This is owing to the great drought with which the whole country has been visited, and which still continues.

The general face of the country is flat, and doubtless wet in the spring. The soil is generally from 4 to 8 inches deep.

The prevailing timber is Beech and a large proportion of Sugar &c. The timber is large and tall and the land mostly 2^d rate.

I hereby certify that in pursuance of a contract with Robert T. Lytle, Surveyor General of the United States, for the States of Ohio, Indiana and Michigan, bearing date the 10th day of May 1838, and in strict conformity to the Laws of the United States and the Instructions of said Surveyor General, I have surveyed and subdivided into sections fractional Township N. 25 North in Range N. 1 East of the 2^d Principal Meridian, in the State of Indiana; and I do further certify that the foregoing are the true and original field notes of said survey and subdivision, executed as aforesaid.

Certified this 13th day of October 1838

Ar. J. C. Vance, D. S.

T. 25 N., R. 1 E. 2.^d Mer. Ind.

John F. Sims } Chain-carriers
 Alex. Black }
 John P. Johnson, Marker.

I certify that the foregoing transcript of field notes of the survey of Township N. 25 North in Range N. 1 East of the 2.^d Principal Meridian, in the State of Indiana, has been compared with the original on file in this office, and found to be correct.

Surveyor General's Office, }
 Cincinnati, Oct. 22, 1844 }

William Johnston
 Sur. Genl.

Comp.